






# Features and benefits of selected product ranges

## Standard conveyor and N-Line belts

Feature	Benefit
 <ul style="list-style-type: none"> <li>Simple and fast joining method</li> </ul>	<ul style="list-style-type: none"> <li>Fool proof handling</li> <li>Adhesiv free joint</li> <li>Short machine downtimes</li> </ul>
 <ul style="list-style-type: none"> <li>Longitudinal flexibility</li> </ul>	<ul style="list-style-type: none"> <li>Can cope with small pulley diameters, compact design</li> <li>Lower costs</li> <li>Long belt life</li> </ul>
 <ul style="list-style-type: none"> <li>Stable modulus of elasticity after running-in</li> </ul>	<ul style="list-style-type: none"> <li>No re-tensioning, no downtimes</li> </ul>
 <ul style="list-style-type: none"> <li>A wide range of various surface types and structures</li> </ul>	<ul style="list-style-type: none"> <li>The right conveyor belt for each application</li> <li>Gentle treatment of goods</li> <li>Long belt life</li> </ul>
 <ul style="list-style-type: none"> <li>Permanently antistatic belting available</li> </ul>	<ul style="list-style-type: none"> <li>Less dust and dirt attraction</li> <li>Process reliability</li> <li>Low maintenance cost</li> </ul>

Please contact your local Habasit representation for further information:

Antriebs-, Transportelemente  
 Eléments de transmission, de transport  
 Power transmission, conveyor belts  
 Elementos de transmisión, de transporte  
 Elementi di trasmissione, di trasporto  
 Elementos de transmissão, de transporte  
 Aandrijf-, transportelementen  
 Transmissions-, transportelement  
 Voimansiirto-, kuljetuselementit  
 Kraftoverførings-, transportelementer  
 動力の伝達及びコンベヤーの原理

Headquarters: Habasit AG  
 Postfach, Römerstrasse 1  
 CH-4153 Reinach-Basel, Switzerland  
 Telephone 061 715 15 15  
 Telefax 061 715 15 55

Registered trade marks  
 Copyright Habasit AG  
 Printed in Switzerland  
 e  
 9704.30.30  
 Information medium 2075  
 Subject to alterations

Edition: April 1997  
 Replaces edition -



## Habasit – the competent partner of worldwide presence



Habasit has been certified according to the ISO 9001/EN 29001 quality standards since 1987.

This, and its many years of experience, guarantee to the customer that Habasit products are of first-rate quality.

Thanks to Habasit's worldwide network of affiliates and representations, the products are available in the same quality worldwide. This includes, of course, all services.


## Habasit – the leading belt supplier for the printing and paper industry.

The many original equipment manufacturers who have opted for Habasit as original supplier may rest assured that their customers will receive the specified products in the same high quality all over the world.

Habasit products are specified and installed on almost all types of machines; examples:

- Corrugated cardboard production line
- Die-cutting machine
- Envelope production line
- Folder-gluer machine
- Gatherer/binder
- Newspaper production line (printing and mailroom equipment)
- Pad production line
- Rotary offset printing machine
- Rotary rotogravure printing machine
- Sheet folding machine
- Sheeter/crosscutter
- Stacker
- Tissue production line
- Tubewinder
- Web fed offset printing machine

Application brochure




## Innovation in paper converting

## Habasit machine tapes and conveyor belts for sheeter/crosscutters and stackers

**Broad product range.  
High level of product & service.  
Value.**

**No wonder that leading  
companies worldwide  
rely on Habasit**

**Features and benefits of selected product ranges**



**Hamid machine tapes**

Feature	Benefit
<ul style="list-style-type: none"> <li>• Simple and fast joining method</li> </ul>	<ul style="list-style-type: none"> <li>→ Fool-proof handling</li> <li>→ Adhesive-free joint</li> <li>→ Minimum equipments needed</li> <li>→ Short machine downtimes</li> </ul>
<ul style="list-style-type: none"> <li>• Longitudinal flexibility</li> </ul>	<ul style="list-style-type: none"> <li>→ Belt can cope with small pulley diameters, compact design,</li> <li>→ Lower costs</li> <li>→ Long belt life</li> </ul>
<ul style="list-style-type: none"> <li>• NBR-rubber cover</li> <li>• Excellent abrasion resistance</li> <li>• Constant coefficient of friction, reliable conveying properties</li> </ul>	<ul style="list-style-type: none"> <li>→ Gentle treatment of goods</li> <li>→ No marking</li> <li>→ Long belt life</li> </ul>
<ul style="list-style-type: none"> <li>• Stable modulus of elasticity after running-in</li> </ul>	<ul style="list-style-type: none"> <li>→ No re-tensioning, no downtimes</li> </ul>
<ul style="list-style-type: none"> <li>• Low sensitivity to humidity</li> </ul>	<ul style="list-style-type: none"> <li>→ High dimensional stability</li> <li>→ No re-tensioning, no downtimes</li> </ul>
<ul style="list-style-type: none"> <li>• Permanently antistatic belting available</li> </ul>	<ul style="list-style-type: none"> <li>→ Less dust and dirt attraction</li> <li>→ Process reliability</li> <li>→ Low maintenance cost</li> </ul>
<ul style="list-style-type: none"> <li>• Elastic belting available</li> </ul>	<ul style="list-style-type: none"> <li>→ Quickly installed</li> <li>→ No need for belt tensioning devices, cost savings</li> </ul>

**Polyamid machine tapes**

Feature	Benefit
<ul style="list-style-type: none"> <li>• Good dimensional stability</li> </ul>	<ul style="list-style-type: none"> <li>→ Forgiving, can cope with intermittent overloads</li> </ul>
<ul style="list-style-type: none"> <li>• Constant tension force</li> </ul>	<ul style="list-style-type: none"> <li>→ No re-tensioning, no downtimes</li> </ul>
<ul style="list-style-type: none"> <li>• Longitudinal flexibility</li> </ul>	<ul style="list-style-type: none"> <li>→ Can cope with small pulley diameters, compact design</li> <li>→ Lower costs</li> <li>→ Long belt life</li> </ul>
<ul style="list-style-type: none"> <li>• NBR-rubber cover</li> <li>• Excellent abrasion resistance</li> <li>• Constant coefficient of friction, reliable conveying properties</li> </ul>	<ul style="list-style-type: none"> <li>→ Gentle treatment of goods</li> <li>→ No marking</li> <li>→ Long belt life</li> </ul>
<ul style="list-style-type: none"> <li>• Permanently antistatic belting available</li> </ul>	<ul style="list-style-type: none"> <li>→ Less dust and dirt attraction</li> <li>→ Process reliability</li> <li>→ Low maintenance cost</li> </ul>

**Remark**  
These schematic drawings show several typical applications. Of course, Habasit products are also suitable for a large variety of further applications. The drawings do not lay claim to completeness. The belt recommendations can only be considered as general suggestions. Due to the complexity of the various technical requirements and the decisive external influences (e.g. minimum diameters, quality of paper and cardboard) there is a large variety of possible solutions. It is impossible to mention all suitable belt types for each application. It is also possible that another Habasit product which is not mentioned in this brochure can meet your requirements. Please ask your local Habasit representation.